

Mirabegron Oral Capsule

Visually Impaired

If you are visually impaired and need help reading your label we can help. At your request, a prescription reader is available to patients in need. If you need help, please contact the pharmacy at 727-498-1228 and speak to a technician or pharmacist who will be able to advise you on your options and the cost. Additional charges do apply.

What is this medication?

Mirabegron (brand name Myrbetriq) is an oral beta-3 adrenergic agonist used to treat overactive bladder (OAB) with symptoms of: Urinary urgency. Urge incontinence (leaking). Frequent urination. It works by relaxing the bladder muscle, increasing its storage capacity and reducing the sense of urgency to urinate.

What are the ingredients?

Active Ingredient: Mirabegron (most commonly 20 mg or 40 mg per capsule)

If you have any further questions or concerns about the ingredients used in your customized, compounded formulation, please contact one of our pharmacists at 727-498-1228.

What should I tell my healthcare provider before I take this medication?

Tell your provider if you: Have high blood pressure (especially uncontrolled). Have bladder outlet obstruction or trouble emptying your bladder. Have liver or kidney problems. Are taking medications that may affect QT interval (heart rhythm). Are pregnant or breastfeeding. Are taking MAO inhibitors, anticholinergics, or blood pressure medications.

How should I use this medication?

Take exactly as prescribed, usually once daily.
Swallow the capsule whole with water—do not crush or chew.
Take at the same time each day, with or without food.

What if I miss a dose?

Take the missed dose as soon as you remember.
If it's close to your next dose, skip the missed one—do not double up.
Contact your provider if multiple doses are missed or if you are unsure.

What may interact with this medication?

Potential interactions: Digoxin – levels may need to be monitored. Metoprolol, carvedilol, or beta-blockers. Anticholinergic drugs (e.g., oxybutynin, tolterodine). MAO inhibitors or medications affecting blood pressure or heart rhythm.

Always check with your provider before starting or stopping any medication, including non-prescription products.

What side effect:

Common side effects: Increased blood pressure. Headache. Dry mouth. Constipation. Urinary retention (difficulty fully emptying the bladder). Dizziness.

Serious side effects: Chest pain or palpitations. Swelling of the face, lips, or throat (allergic reaction). Signs of urinary retention (painful or infrequent urination).

This list may not describe all possible side effects. Call your doctor for medical advice about side effects and any unusual problems while taking this medication. If you experience a serious side effect, you or your doctor may send a report to the Food and Drug Administration's (FDA) MedWatch Adverse Event Reporting program, online (www.fda.gov/Safety/MedWatch) or by phone (1-800-332-1088)

What should I watch while using this medication?

Monitor blood pressure, especially if you have a history of hypertension.

Watch for signs of urinary retention.

Inform your provider if symptoms worsen or don't improve within 4–8 weeks.

Keep all follow-up appointments and report any side effects promptly.

Where should I keep my medication?

Store at room temperature, away from heat, moisture, and light.

Keep the capsules in their original container, tightly closed.

Keep out of reach of children and pets.

Disposal: Do not flush or pour unused medication down the drain. The best option is to use a DEA-authorized drug take-back location, which you can find at rxdrugdropbox.org. If that's not available, mix the medication (still in its vial or drawn into a syringe) with an undesirable substance like used coffee grounds or cat litter, seal it in a plastic bag, and discard it in the household trash—after removing any personal information from the label. Used syringes must be placed in an FDA-cleared sharps container and taken to an appropriate sharps disposal site. If you're unsure, contact your pharmacist at 727-498-1228 for guidance.

OFFER TO COUNSEL NOTICE

You are receiving this notice because you or your physician recently requested a compounded prescription to be filled by our pharmacy. You are entitled to receive medication counseling from one of our pharmacists regarding the following: Name and description of medication. Dose, route of administration, and duration of medication. Intended use of medication and expected action. Special directions and precautions for use. Common adverse effects or interactions. Techniques for self-monitoring. Proper storage. Prescription refill information.

You may contact a pharmacist at (727) 498-1228 Monday through Friday, 9AM to 5PM EST and Saturday 9AM-1PM EST.

PharmaLabs' notice of Privacy Practices may be viewed on the company website. You may view and acknowledge receipt of these offers or refuse your right to be counseled online at: <http://www.plabrx.com/offer>

Our pharmacists will be happy to discuss any additional questions or concerns you may have.

NOTE: This sheet is a summary. It may not cover all possible information. If you have questions about this medicine, talk to your doctor, pharmacist, or health care provider.