

Oxytocin 200IU Oral RDT

Visually Impaired

If you are visually impaired and need help reading your label we can help. At your request, a prescription reader is available to patients in need. If you need help, please contact the pharmacy at 727-498-1228 and speak to a technician or pharmacist who will be able to advise you on your options and the cost. Additional charges do apply.

What is this medication?

Oxytocin is a hormone naturally produced by the body and plays a key role in emotional bonding, intimacy, and orgasm. In this compounded form, oxytocin is used to support sexual function, particularly in individuals experiencing difficulty achieving orgasm or a reduced sense of sexual satisfaction.

What are the ingredients?

Oxytocin 200IU

If you have any further questions or concerns about the ingredients used in your customized, compounded formulation, please contact one of our pharmacists at 727-498-1228.

What should I tell my healthcare provider before I take this medication?

Let your healthcare provider know if you:

- Have a history of heart problems, high blood pressure, or fluid retention
- Are currently being treated for depression, anxiety, or other mood disorders
- Are pregnant, nursing, or planning to become pregnant
- Have known sensitivity to oxytocin or any ingredient in the formulation
- Are using other sexual health medications or hormone therapies

How should I use this medication?

Place the tablet in your mouth—between your cheek and gum—and allow it to dissolve slowly. Do not chew or swallow it whole. Allow the troche to fully dissolve for optimal absorption. Always follow your provider's specific directions.

Handling and Safety Precautions

Patients and caregivers should:

- Wash hands thoroughly before and after handling oxytocin rapid-dissolve tablets.
- Avoid direct contact with broken or crushed tablets, especially if pregnant or breastfeeding.
- Store in original packaging away from children, pets, and unintended users.
- Use a pill organizer with caution, ensuring others in the household are not exposed inadvertently.

If you are pregnant, trying to conceive, or breastfeeding, consult your prescriber before handling or using oxytocin, even in compounded doses.

What if I miss a dose?

Since this medication is used as needed, there is no regular schedule. If you forget to take it before sexual activity, take it when remembered—allowing enough time for it to take effect. Do not take extra doses to make up for a missed one.

What may interact with this medication?

Possible interactions include:

- Blood pressure medications – Oxytocin may cause mild changes in heart rate or blood pressure
- Antidepressants or mood stabilizers – May alter oxytocin's effects
- Hormone therapies or SSRIs – May amplify or reduce therapeutic benefit

Always check with your provider before starting or stopping any medication, including non-prescription products.

What side effect:

Most patients tolerate oxytocin well. Mild side effects can include warm flushing, slight dizziness, emotional sensitivity, or a feeling of relaxation or euphoria. Less commonly, people may experience headache, nausea, or changes in blood pressure. These effects are usually temporary and resolve quickly. If you experience chest pain, severe dizziness, fainting, or signs of allergic reaction, seek immediate medical attention.

This list may not describe all possible side effects. Call your doctor for medical advice about side effects and any unusual problems while taking this medication. If you experience a serious side effect, you or your doctor may send a report to the Food and Drug Administration's (FDA) MedWatch Adverse Event Reporting program, online (www.fda.gov/Safety/MedWatch) or by phone (1-800-332-1088)

What should I watch while using this medication?

Pay attention to how your body and emotions respond after use. Monitor for side effects, especially after initial doses. Avoid alcohol or sedatives when using this medication for intimacy. Let your provider know if you experience heightened emotional sensitivity or if the effects interfere with daily activities. Contact your prescriber if you do not achieve the desired improvement in orgasm quality after consistent use.

Where should I keep my medication?

Store the troches in a cool, dry place at room temperature, away from heat and moisture. Do not refrigerate or freeze unless directed. Keep in the original container and out of reach of children and pets.

Disposal: Do not flush or pour unused medication down the drain. The best option is to use a DEA-authorized drug take-back location, which you can find at rxdrugdropbox.org. If that's not available, mix the medication (still in its vial or drawn into a syringe) with an undesirable substance like used coffee grounds or cat litter, seal it in a plastic bag, and discard it in the household trash—after removing any personal information from the label. Used syringes must be placed in an FDA-cleared sharps container and taken to an appropriate sharps disposal site. If you're unsure, contact your pharmacist at 727-498-1228 for guidance.

OFFER TO COUNSEL NOTICE

You are receiving this notice because you or your physician recently requested a compounded prescription to be filled by our pharmacy. You are entitled to receive medication counseling from one of our pharmacists regarding the following: Name and description of medication. Dose, route of administration, and duration of medication. Intended use of medication and expected action. Special directions and precautions for use. Common adverse effects or interactions. Techniques for self-monitoring. Proper storage. Prescription refill information.

You may contact a pharmacist at (727) 498-1228 Monday through Friday, 9AM to 5PM EST and Saturday 9AM-1PM EST.

PharmaLabs' notice of Privacy Practices may be viewed on the company website. You may view and acknowledge receipt of these offers or refuse your right to be counseled online at: <http://www.plabrx.com/offer>

Our pharmacists will be happy to discuss any additional questions or concerns you may have.

NOTE: This sheet is a summary. It may not cover all possible information. If you have questions about this medicine, talk to your doctor, pharmacist, or health care provider.