

Phenylephrine 1mg/mL Intracavernosal Injection

Visually Impaired

If you are visually impaired and need help reading your label we can help. At your request, a prescription reader is available to patients in need. If you need help, please contact the pharmacy at 727-498-1228 and speak to a technician or pharmacist who will be able to advise you on your options and the cost. Additional charges do apply.

What is this medication?

Phenylephrine 1 mg/mL is an alpha-adrenergic agonist used to treat priapism, which is a prolonged and often painful erection. It works by narrowing blood vessels (vasoconstriction) to help reduce blood flow to the penis and relieve the erection.

What are the ingredients?

This is a compounded formulation of Phenylephrine 1mg/mL. If you have any further questions or concerns about the ingredients used in your customized, compounded formulation, please contact one of our pharmacists at 727-498-1228.

What should I tell my healthcare provider before I take this medication?

Before using this medication, inform your provider if you:

- Have high blood pressure (hypertension)
- Have heart disease or irregular heartbeat
- Are taking other medications that affect blood pressure
- Have a known allergy to phenylephrine
- Have any other medical conditions or are taking additional medications or supplements

How should I use this medication?

This medication is typically administered by a healthcare professional, but some providers may give instructions for supervised at-home use in specific cases. It is injected directly into the corpus cavernosum (the erectile tissue of the penis). Use only as directed by your healthcare provider. Follow strict sterile technique, and dispose of all used syringes in a sharps container.

What if I miss a dose?

Phenylephrine is used as needed to treat an active episode of priapism. If the erection has resolved or you're unsure whether a dose is needed, consult your healthcare provider before administering..

What may interact with this medication?

Medications that may interact include: blood pressure medications, monoamine oxidase inhibitors (MAOIs), other vasoconstrictors or sympathomimetics, and over-the-counter decongestants or stimulant medications. Always check with your provider before starting or stopping any medication, including non-prescription products.

What side effect:

Common side effects:

- Mild burning or stinging at the injection site
- Temporary increase in blood pressure
- Headache or dizziness

Serious side effects (seek immediate help):

- Severe or persistent hypertension (high blood pressure)
- Irregular heartbeat or chest pain
- Allergic reactions (rash, swelling of face, lips, or throat)

This list may not describe all possible side effects. Call your doctor for medical advice about side effects and any unusual problems while taking this medication. If you experience a serious side effect, you or your doctor may send a report to the Food and Drug Administration's (FDA) MedWatch Adverse Event Reporting program, online (www.fda.gov/Safety/MedWatch) or by phone (1-800-332-1088)

What should I watch while using this medication?

- Monitor your blood pressure closely during and after use
- Be alert for signs of palpitations, dizziness, or chest discomfort
- Do not use multiple doses unless specifically directed by your provider
- Seek emergency help if symptoms persist or worsen

Where should I keep my medication?

Store according to the label instructions. Refrigeration is typically required, unless otherwise noted. This medication is a sterile injectable product and expires 28 days after the vial is first punctured, or the date on the prescription vial label, whichever date comes first. Keep away from children and pets.

Disposal:

Do not flush it or pour it down the drain. The best option is to use a DEA-authorized drug take-back location, which you can find at rxdrugdropbox.org. If that's not available, mix the medication (still in its vial or drawn into a syringe) with an undesirable substance like used coffee grounds or cat litter, seal it in a plastic bag, and discard it in the household trash—after removing any personal information from the label. Used syringes must be placed in an FDA-cleared sharps container and taken to an appropriate sharps disposal site. If you're unsure, contact your pharmacist at 727-498-1228 for guidance.

OFFER TO COUNSEL NOTICE

You are receiving this notice because you or your physician recently requested a compounded prescription to be filled by our pharmacy. You are entitled to receive medication counseling from one of our pharmacists regarding the following: Name and description of medication. Dose, route of administration, and duration of medication. Intended use of medication and expected action. Special directions and precautions for use. Common adverse effects or interactions. Techniques for self-monitoring. Proper storage. Prescription refill information.

You may contact a pharmacist at (727) 498-1228 Monday through Friday, 9AM to 5PM EST and Saturday 9AM-1PM EST.

PharmaLabs' notice of Privacy Practices may be viewed on the company website. You may view and acknowledge receipt of these offers or refuse your right to be counseled online at: <http://www.plabrx.com/offer>

Our pharmacists will be happy to discuss any additional questions or concerns you may have.

NOTE: This sheet is a summary. It may not cover all possible information. If you have questions about this medicine, talk to your doctor, pharmacist, or health care provider.