

Sildenafil Oral Tablet

Visually Impaired

If you are visually impaired and need help reading your label we can help. At your request, a prescription reader is available to patients in need. If you need help, please contact the pharmacy at 727-498-1228 and speak to a technician or pharmacist who will be able to advise you on your options and the cost. Additional charges do apply.

What is this medication?

Brand Names: Viagra; Revatio.

Sildenafil is used to treat: Erectile dysfunction (ED) – helps improve blood flow to the penis during sexual stimulation. Pulmonary arterial hypertension (PAH) – under the brand name *Revatio*, it helps improve exercise capacity by relaxing blood vessels in the lungs.

What are the ingredients?

Active Ingredient: Sildenafil citrate (PharmaLabs carries 20mg and 100mg doses).

What should I tell my healthcare provider before I take this medication?

Inform your provider if you: Take nitrates (e.g., for chest pain). Have heart conditions, such as arrhythmia or a history of heart attack. Have low or high blood pressure. Have liver or kidney disease. Have a history of vision or hearing loss. Have a blood cell disorder (e.g., sickle cell anemia). Have an anatomical deformity of the penis. Are pregnant, planning to become pregnant, or breastfeeding (for PAH use).

How should I use this medication?

Follow your healthcare provider's instructions exactly. Swallow the tablet whole with a glass of water, with or without food. Do not take more than prescribed.

What if I miss a dose?

If you are on a once-daily regimen and miss a dose, take it as soon as you remember. If it's almost time for your next dose, skip the missed dose—do not double up. If taken as needed, skip the missed dose entirely.

What may interact with this medication?

Speak with your provider or pharmacist before combining sildenafil with other medications. Common interactions include: Nitrates (nitroglycerin, isosorbide): Dangerous drop in blood pressure. Alpha-blockers and some blood pressure medications. CYP3A4 inhibitors (e.g., ketoconazole, erythromycin, ritonavir). Other ED medications (e.g., tadalafil, vardenafil). Alcohol and grapefruit juice may increase side effects.

Always check with your provider before starting or stopping any medication, including non-prescription products.

What side effect:

Common side effects: Headache. Flushing. Upset stomach. Nasal congestion. Back pain or muscle aches. Vision changes (e.g., blue tint, blurred vision)

Serious side effects (seek medical attention immediately): Chest pain. Sudden loss of vision or hearing. Priapism (painful erection lasting more than 4 hours). Irregular heartbeat or shortness of breath.

This list may not describe all possible side effects. Call your doctor for medical advice about side effects and any unusual problems while taking this medication. If you experience a serious side effect, you or your doctor may send a report to the Food and Drug Administration's (FDA) MedWatch Adverse Event Reporting program, online (www.fda.gov/Safety/MedWatch) or by phone (1-800-332-1088).

What should I watch while using this medication?

Monitor for any signs of low blood pressure (e.g., dizziness, fainting). Avoid alcohol and recreational drugs that can interact with the medication. Do not use in combination with other ED or PAH treatments unless directed by your provider. Inform all healthcare providers you are taking sildenafil.

Where should I keep my medication?

Store at room temperature, away from moisture and heat. Keep out of reach of children and pets.

Disposal: Do not flush or pour unused medication down the drain. The best option is to use a DEA-authorized drug take-back location, which you can find at rxdrugdropbox.org. If that's not available, mix the medication (still in its vial or drawn into a syringe) with an undesirable substance like used coffee grounds or cat litter, seal it in a plastic bag, and discard it in the household trash—after removing any personal information from the label. Used syringes must be placed in an FDA-cleared sharps container and taken to an appropriate sharps disposal site. If you're unsure, contact your pharmacist at 727-498-1228 for guidance.

OFFER TO COUNSEL NOTICE

You are receiving this notice because you or your physician recently requested a compounded prescription to be filled by our pharmacy. You are entitled to receive medication counseling from one of our pharmacists regarding the following: Name and description of medication. Dose, route of administration, and duration of medication. Intended use of medication and expected action. Special directions and precautions for use. Common adverse effects or interactions. Techniques for self-monitoring. Proper storage. Prescription refill information.

You may contact a pharmacist at (727) 498-1228 Monday through Friday, 9AM to 5PM EST and Saturday 9AM-1PM EST.

PharmaLabs' notice of Privacy Practices may be viewed on the company website. You may view and acknowledge receipt of these offers or refuse your right to be counseled online at: <http://www.plabrx.com/offer>

Our pharmacists will be happy to discuss any additional questions or concerns you may have.

NOTE: This sheet is a summary. It may not cover all possible information. If you have questions about this medicine, talk to your doctor, pharmacist, or health care provider.